
Catalog No. 45

AGO

STRENGTH WHERE STRENGTH IS NEEDED

GUARANTEED SINCE 1868

The world's finest industrial vises





MACHINE & FOUNDRY COMPANY



VISES ARE BUILT

STRENGTH

When you buy Athol vises you get products that are engineered and built to take life-long grueling punishment. They are specifically designed for various uses, based on over 90 years of specialized vise experience.

All Athol vises are made to Athol's own rigid specifications, using carefully controlled material analysis, and meet or exceed Federal specifications. Athol standards of manufacture provide rugged dependability in the world's finest industrial vises.

This is the significance of the expression, "strength where strength is needed". We sincerely believe there is no better vise made than an Athol vise.

Solid construction throughout. Balanced weight concentrated where strength is needed. All Athol vises are cast in our own foundry.

SOME IMPORTANT AND EXCLUSIVE



FEATURES ARE ILLUSTRATED

- 1—HEAVY HORN provides added rigidity when vise is opened to full capacity.

 This is an Athol first.
- 2—BUTTRESS THREAD adds 50% more strength at the root of the thread where it is most needed. An Athol exclusive.
- 3—SWIVEL BASE cannot slip because grooves are cast in, like an internal ring gear, and tapered DROP-FORGED clamp bolt is similarly grooved. Clamp handle is easy to operate, swings back out of the way of work. Two fingers will tighten the clamp, but two men cannot turn the vise. This is another Athol first.
- 4—SPRING SCREW FASTENER holds the buttress-threaded screw tight. NO SLIP-PAGE OR BACKLASH. Wear is compensated by this spring screw, held securely by two collars and a pin. Another Athol first.
- 5—JAW FACINGS are made of tool steel, machine-milled deeply, and welded in place. They cannot come loose, and will last as long as the vise. There is no substitute for welded jaws.
- 6-FRONT AND BACK JAWS are made of solid cast iron.
- Optional RATCHET HANDLE is useful to the toolmaker for making quick adjustments. Again, only Athol provides this feature.




BRASS VISE JAW CAPS

Designed to cover serrated
jaw faces snugly to prevent
marking of soft materials
when held rigidly. Speedily
attached and removed.

SIZE		LIST
-3"	************	\$4.60
3 1/2"	***********	5.40
4"		6.40
4 1/2"	************	7.40
5"	***********	9.20

FOR RUGGED, LONG-LASTING SERVICE


WHERE STRENGTH IS NEEDED



ALL ATHOL VISES ARE INDIVIDUALLY PACKAGED



Meet all requirements of the smallest to the largest machine shop. Available in three types and wide range of sizes.



STATIONARY JAW and BASE

For rugged dependability you can't beat this "workhorse". High quality at economical price.

Catalog No.	Jaw Width,	Max. Jaw Opening, in.	Weight,	List Price
613	3	4	22	\$28.00
*6131/2	3 1/2	5	30	32.00
*614	4	6	47	38.00
*614 1/2	4 1/2	7	65	48.00
*615	5	8	82	62.00
*616	6	9 3/4	148	116.00
618	8	121/4	257	220.00


*Can be furnished with replaceable steels if desired.

STATIONARY JAW, SWIVEL BASE

Incorporates the famous Athol positive-lock swivel. Designed for life-long service. See No. 3, page 2.

	Catalog No.	Jaw Width,	Max. Jaw Opening, in.	Weight,	List Price
-	623	3	4	27	\$36.00
	*6231/2	3 1/2	5	40	42.00
	*624	4	6	57	50.00
	*6241/2	4 1/2	7	75	62.00
	*625	5.	8	95	84.00
	*626	6	9 3/4	178	144.00
	628	8 -	121/4	303	280.00


*Can be furnished with replaceable steels if desired.



SWIVEL JAW. **SWIVEL BASE**

Adjustable back jaw stationary with pin in place. Removal of pin allows adjustment for tapered work with maximum gripping. Especially adaptable for tool and die room for wide range of work.

	Max. Jaw			
Cat. No.	Jaw Width, in.	Opening, in.	Weight, Ib.	List Price
643 1/2	3 1/2	4 1/2	40	\$60.00
644 1/2	4 1/2	61/8	80	84.00
646	6	9 3/4	178	180.00



Athol

Swivel indexing base is removable. Base accurately graduated over 180 degrees on indexing machine — not hand stamped. Easily set for any angle required. Vise can be easily removed from swivel base by loosening two bolts, and used as plain milling machine vise. Removable jaw facings made of hardened alloy tool steel.


1024	1026	1027
4	6	7
3 1/8	4	4 3/4
1 3/8	1 %	1 5/8
4 3/8	5 5/8	5 3/4
2 1/8	3 3/4	3 3/4
8 1/4	101/8	113/8
7 3/8	91/4	10 %
13 1/8	17	20 1/4
32	70	103
\$62.50	\$81.50	\$136.50
\$50.50	\$64.50	\$115.50
	4 3 1/8 1 3/8 4 3/8 2 7/8 8 1/4 7 3/8 13 7/8 32 \$62.50	4 6 3 1/8 4 1 3/8 1 5/8 4 3/8 5 5/8 2 7/8 3 3/4 8 1/4 10 1/8 7 3/8 9 1/4 13 7/8 17 32 70 \$62.50 \$81.50

MILLING MACHINE

STRENGTH WHERE STRENGTH IS NEEDED

Use them in place of expensive jigs and fixtures.

Dependable. Accurate.



813 KMOL M & P OU U.S. A. SOO U.S. A. SOO

DRILL PRESS AND MILLING MACHINE SPEED VISE


Designed for speed in drilling and milling. Replaces highpriced jigs and fixtures. Full movement of handle opens jaws 1/6 in. Attaching special jaws converts vise into special jig or fixture.

Catalog No.	Jaw Width, . in.	Max. Jaw Opening, in.	Weight, Ib.	List Price
813	- 3	3 1/8	13	\$52.00


STANDARD DRILL PRESS VISE

Standard drill press and milling machine vise. Built for years and years of rugged service.

	Jaw	Max. Jaw		
Catalog No.	Width, in.	Opening, in.	Weight, lb.	List Price
9131/2	3 1/2	4 1/3	14	\$18.75



Aghol




Aghol

HEAVY DUTY DESIGN FOR ALL CONSTRUCTION and MAINTENANCE USES

Vise is heavy enough to use in bending heavy iron bars. 5" x 4" of gripping surface. 6" depth from top of jaw to screw. Only back jaw moves, keeping work on bench. Serrated replaceable tool-steel jaws.

C	atalog No.	Width, in.	Max Jaw Opening, in.	Pipe Size, in.	Weight, Ib.	List Price	
	1115	5	7	1/8 - 6	150	\$105.00	



COMBINATION

STRENGTH WHERE STRENGTH IS NEEDED


STATIONARY JAW, SWIVEL BASE

Jaws withstand strain of pipe work, made of hardened tool steel. Stands up under tough service. Easily replaceable grips do not project beyond face of vise jaws.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Pipe Size, in.	Weight,	List Price
3231/2	3 1/2	4 1/4	1/8 - 21/2	46	\$52.00
324 1/2 X	4 1/2	61/4	1/8 - 31/2	85	74.00
325X	5	7 %	1/8 - 4 1/2	115	114.00
326X	6	8 5/B	1/4 - 6	215	180.00

STEAMFITTERS'

STRENGTH WHERE STRENGTH IS NEEDED



PLUMBERS'

STRENGTH WHERE STRENGTH IS NEEDED

Tool-steel interlocking replaceable jaws are heat treated and milled for long-life. Heavy-duty malleable frame. Self-locking hook. Steel screw with tapered-ball end handle.

Catalog No.	Pipe Size, in.	Weight, lb.	List Price
212	1/8 - 2	10	\$12.35
2121/2	1/8 - 21/2	14	14.60
213 1/2	1/8 - 3 1/2	18	22.15
2141/2	1/8 - 4 1/2	30	28.80
216	1/8 - 6	49	65.00
218	1 - 8	81	131.50




STATIONARY JAW, SWIVEL BASE

Designed especially for sheet-metal and wood working. Has extra-long beam and high, rigid, smooth-faced jaws to grip large pieces firmly. Made with material identical to Athol machinists' vises.

Catalog No.	Width, in.	Max. Jaw Opening, in.	Weight, lb.	List Price
424 1/2 X	4 1/2	101/2	87	\$70.00

Achol






SHEETMETAL

STRENGTH WHERE STRENGTH IS NEEDED

TIJLJ



NGTH WHERE STRENGTH IS NEEDE

Designed especially for rugged, dependable service in private garage, home workshop, farm and service station. An excellent normal-duty vise where heavy duty is not required.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Weight,	List Price
114X	4 .	51/4	30	\$23.50
1141/2X	4 1/2	61/4	41	26.75

MACHINISTS' VISES WITH RATCHET HANDLES


STATIONARY JAW, SWIVEL BASE, or STATIONARY BASE

Suitable for rooi-room or duplication work. Handle is easily set at any convenient angle for grip and leverage.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Weight,	List Price
	Stationary	Jaw, Station	ary Base	
613RH	3	4	22	\$33.75
613 1/2 RH	3 1/2	5	30	38.50
614RH	4	6	47	45.50
	Stationa	ry Jaw, Swive	el Base	
623RH	3	4	27	\$41.50
623 1/2 RH	3 1/2	5 -	40	48,50
624RH	4	6	57	57.50

LINCONDITIONALLY CHARANTEED

Achol



STRENGTH WHERE STRENGTH IS NEEDED

Replaceable Pipe Grips
Athol Exclusive Buttress Thread
360° Swivel Base
Solid Steel Sliding Bar
Athol Exclusive Locking Nut and Handle
Replaceable Tool Steel Jaws

Jaw Width 3½ in.
Jaw Opening 3 in.
Pipe Jaw Capacity % in. to 1¼ in.

WEIGHT 17 1/2 lbs.

List \$11.50 EAST List 13.25 WEST


Minimum Order, One Case-6 to Case

Aghol

STATIONARY JAW. SWIVEL BASE

The best for home workshop or garage. Unmatched features. Full $1\frac{1}{2}$ " bearing on sides and screw. Anvil surface. Solid steel slides. Athol buttress thread. Swivel-wrench locking. Full 360 deg. swivel base. Solid-screw backthrust collar. Tapered no-pinch handle. Replaceable pipe grips. Replaceable steel serrated jaws.


Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Pipe Size, in.	Weight, Ib.	List Price
023	3	3	1/8 - 1	14	\$15.00
023 1/2	3 1/2	3 3/4	1/8 - 11/4	19	16.50
024	4	5	1/8 - 2	27	21.00



UNIVERSAL

STRENGTH WHERE STRENGTH IS NEEDED





PRECISION INSTRUMENT

STRENGTH WHERE STRENGTH IS NEEDED

For makers of small precision instruments. Same highquality workmanship and material as Athol machinists' vises. Made with ground smooth jaws only.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Weight, lb.	List Price
6221/2	2 1/2	3 1/2	16	\$28.40

YOUR DISTRIBUTOR

ATHOL VISES

Controlled Material Analysis - Made to Athol Rigid Specifications

ATHOL MACHINE & FOUNDRY CO.

Athol, Massachusetts, U.S.A.

SALES OFFICES

11 Warren St.

605 W. Washington Blvd. Chicago 6, Ill. 1515 15th Ave. W. Seattle, Wash.

2864 Rock Glen Ave. Los Angeles, Cal.

Athol Stocking Distributors' Net Price Sheet

TERMS OF PAYMENT: Net 30 days, 2% for eash if paid on or before 10th of the month following shipment.

DELIVERY: F. O. B. Athol, Massachusetts. On orders of \$150.00 net or over we will allow the lowest available rate—not including stordor delivery—to destination in the continental United States, (except Alaska, where freight will be allowed to Seattle, Washington). No freight allowed on orders less than \$150.00 net invoice value.

SALES TAXES: If any, are to be charged as a separate item, not subject to cash discount.

RETURNED GOODS will not be accepted for credit without our permission and transportation charges prepaid. A minimum charge of 10% will be made to cover handling (except for defective goods or error made on our part). Goods returned must show date and register number of invoice.

We will honor no cancellation after shipment has been made.

Prices and Terms subject to change without notice.

Distributors are urgently requested to sell at not less than our exact Net Resale Price.

		and the same of the	and Stationary Base Athol Stocking	Resule
Vise	Jaw	List	Distributor	Prices
No.	Inches	Price	et 12-30%	at 12%
613	3	\$28.00	\$17.24	\$24.64
6131/2	31/2	32.00	19.71	28.16
614	4	38.00	23.40	33.44
6141/2	41/2	48.00	29.56	42.24
615	5	62.00	38.19	54.56
616	6	116.00	71.45	102.08
618	0	220.00	135.52	193.60
	Machinists' Vis	es—Stationary Jav	and Swivel Base	
623	3	\$36.00	\$22.17	\$31.68
		40.00		04.04
6231/2	31/2	42.00	25.87	36.96
623½ 624	4	50.00	30.80	44.00
623½ 624 624½	43/2	50.00 62.00	30.80 38.19	44.00 54.56
623½ 624 624½ 625	4	50.00 62.00 84.00	30.80 38.19 51.74	44.00 54.56 73.92
623 ¹ / ₂ 624 624 ¹ / ₂ 625 626	43/2	50.00 62.00 84.00 144.00	30.80 38.19 51.74 88.70	44.00 54.56 73.92 126.72
623½ 624 624½ 625	43/2	50.00 62.00 84.00	30.80 38.19 51.74	44.00 54.56 73.92
623½ 624 624½ 625 626	4 4 4½ 5 6 8	50.00 62.00 84.00 144.00	30.80 38.19 51.74 88.70 172.48	44.00 54.56 73.92 126.72
623½ 624 624½ 625 626	4 4 4½ 5 6 8	50.00 62.00 84.00 144.00 280.00 Vises—Swivel Jaw \$60.00	30.80 38.19 51.74 88.70 172.48 and Swivel Base \$36.96	44.00 54.56 73.92 126.72
623½ 624 624½ 625 626 628	4 4½ 5 6 8 Machinists' V	50.00 62.00 84.00 144.00 280.00	30.80 38.19 51.74 88.70 172.48 and Swivel Base	44.00 54.56 73.92 126.72 246.40

Vise	Jaw	List	Athol Stocking	Resule
No.	Inches	Milling Machine Vises	Distributor	Price
Complete with			12-30%	12%
1024	4	\$62.50	\$38.50	\$55.00
1026	6	81.50	50.20	71.72
1027 Without Base	7	116.00	71.45	102.08
1024	4	\$50.50	31.10	44.44
1026	6	64.50	39.73	56.76
1027	7	98.00	60.36	86.24
	Drill Pre	ess and Milling Machi	ine Vises	
			12-30%	12%
813	3	\$52.00	\$32.03	\$45.76
9131/2	31/2	18.75	11.55	16.50
C	ombination Vi	ses—Stationary Jaw o	and Swivel Base	
			12-30%	12%
3231/2	31/2	\$52.00	\$32.03	\$45.76
324½x	41/2	74.00	45.58	65.12
325x 326x	5	114.00 180.00	70.22 110.88	100.32 158.40
	•	100.00	110.00	130.70
		Steamfitters' Vise	900/	Max
1115	5	\$105.00	30% \$73.50	Net \$105.00
			7.3.25	
		Plumbers' Vises	I spirit in the	-1-,833
	20 2 2 2		25%	NET
212 212½	2 214	\$ 12.35 14.60	\$ 9.26 10.95	\$12.35
2131/2	2½ 3½	22.15	16.61	14.60 22.15
2141/2	41/2	28.80	21.60	28.80
216	6	65.00	48.75	65.00
218	8	131.50	98.63	131.50
Char	atmostal Warks	not Mine Chatianana In	and Crained De	
Snee	ermeral worke	rs' Vise—Stationary Ja		
424½x	41/2	\$70.00	12-30% \$43.12	12% \$61.60
42471X	472	\$70.00	\$73.1Z	401.00
Atl	hol Utility Vise	es—Stationary Jaw and	d Stationary Bas	e
			12-30%	12%
114E	4	\$23.50	\$14.47	\$20.68
114½L	41/4	26.75	16.47	23.54
Marshinista/ V	Since with Dat	shot Usuallo Stationar	ne law and Stat	ionary Base
Machinists	vises with Kar	chet Handle—Stationa	ry Jaw and Stat	12%
613 with ratchet handle	3	\$33.75	\$20.79	\$29.70
613½ with ratchet handle	31/2	38.50	23.71	33.88
614 with ratchet handle	4	45.50	28.02	40.04
Machiniste	Visce with D	atchet Handle—Station	ary Jaw and Su	vivel Base
Macinisis	A19C2 AMILI K	archer fluitule—Jialion	12-30%	12%
623 with ratchet handle	3	\$41.50	\$25.56	\$36.52
623½ with ratchet handle	31/2	48.50	29.87	42.68
624 with ratchet handle	4	57.50	35.42	50.60
Ask-I	Special Mark	hop Vise—Stationary	law and Swivel	Rase
Amol	special-works	niop vise—stationary	50%	33·1/3%
A31/25	31/2	\$12.00 East	\$ 6.00	\$ 8.00
M9/39	9/2	13.00 West	6.50	8.67
	Minimum	Order - One Case - 6 Vises		
Atl	hol Universal	Vise——Stationary Jaw	and Swivel Bas	se .
		Distrib	utors' Net Prices	
10 ES. 150	Vises	List Full Case	Broken Case	Net
Vise Jaw	Per	Price Lots	Lots	Resale 33-1/3%
No. Inches	Case	\$15.00 \$ 7.50	\$ 7.70	\$10.00
0231/2 31/2	6	16.50 8.25	8.45	11.00
024 4	3 010	21.00 10.50	10.75	14.00
Dene	ision Instrumo	nt Vise—Stationary Ja	w and Swivel B	nsa asr
Frec	asion manufile	in vise—sidilolidiy sa		12%
6221/2	21/2	\$28.40	12-30% \$17.49	\$24.99
04473	472		417147	
		Brass Jaw Caps		
	3	\$ 4.60	\$ 2.83	\$ 4.05
	31/2	5.40	3.33	4.75
		7.18	0.04	F 4.9
	4	6.40	3.94	5.63
	4/2	7.40 9.20	4.56 5.67	6.51 8.10